



Revision date : 2014/09/10 Version: 2.0

Page: 1/10 (30587338/SDS GEN US/EN)

1. Identification

Product identifier used on the label

FLO RITE 1197

Recommended use of the chemical and restriction on use Recommended use*: colouring component

* The "Recommended use" identified for this product is provided solely to comply with a US Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

<u>Company:</u> BASF SE 67056 Ludwigshafen GERMANY <u>Contact address:</u> BASF CORPORATION 100 Park Avenue Florham Park, NJ 07932 USA Telephone: +1 973 245-6000

Emergency telephone number

CHEMTREC: 1-800-424-9300 BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

2

STOT SE

Specific target organ toxicity — single exposure

Label elements

Pictogram:



Revision date : 2014/09/10 Version: 2.0

May cause damage to organs.				
nts (Prevention): Do not breathe dust/gas/mist/vapours. Do not eat, drink or smoke when using this product. Wash with plenty of water and soap thoroughly after handling.				
nts (Response): IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician.				
Precautionary Statements (Storage): P405 Store locked up.				
nts (Disposal): Dispose of contents/container to hazardous or special waste collection point.				

Hazards not otherwise classified

Labeling of special preparations (GHS): The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 49 % dermal The following percentage of the mixture consists of components(s) with unknown hazards regarding

the acute toxicity: 49 % oral

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 53 % Inhalation - vapour

According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Emergency overview

Prolonged or repeated contact may cause mild eye irritation.

Contains methanol. Acute exposure or prolonged or repeated skin contact, inhalation, or ingestion can cause blindness and death. Methanol hasbeen shown to cause birth defects based on animal data.

Overexposure may cause CNS depression including headache, dizziness, nausea and loss of consciousness.

May be harmful if swallowed in large quantities.

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

<u>CAS Number</u> 12001-26-2 13463-67-7 67-56-1
 Content (W/W)
 C

 5.0 - 15.0 %
 M

 1.0 - 5.0 %
 T

 1.0 - 5.0 %
 M

<u>Chemical name</u> Mica-group minerals Titanium dioxide Methanol

According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Revision date : 2014/09/10 Version: 2.0 Page: 3/10 (30587338/SDS_GEN_US/EN)

CAS Number	Content (W/W)	Chemical name
12001-26-2	5.0 - 15.0 %	Mica-group minerals
13463-67-7	1.0 - 5.0 %	Titanium dioxide
67-56-1	1.0 - 5.0 %	Methanol
57-55-6	1.0 - 5.0 %	Propylene glycol
	70.0 - 92.0 %	Proprietary ingredients

4. First-Aid Measures

Description of first aid measures

General advice:

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

If on skin:

Wash thoroughly with soap and water.

If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

Indication of any immediate medical attention and special treatment needed

Note to physician Treatment:

Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media: water spray, dry powder, foam, carbon dioxide

Special hazards arising from the substance or mixture

Hazards during fire-fighting: carbon monoxide, carbon dioxide, nitrogen oxides The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Protective equipment for fire-fighting: Wear self-contained breathing apparatus and chemical-protective clothing.

Revision date : 2014/09/10 Version: 2.0

Further information:

Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Cleaning operations should be carried out only while wearing breathing apparatus.

7. Handling and Storage

Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion: No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

8. Exposure Controls/Personal Protection

Components with occupational exposure limits

Methanol	OSHA PEL ACGIH TLV	PEL 200 ppm 260 mg/m3 ; TWA value 200 ppm ; STEL value 250 ppm ; Skin Designation ; The substance can be absorbed through the skin.
Titanium dioxide	OSHA PEL ACGIH TLV	PEL 15 mg/m3 Total dust; TWA value 10 mg/m3;

Revision date : 2014/09/10 Version: 2.0		Page: 5/10 (30587338/SDS_GEN_US/EN)
Mica-group minerals	OSHA PEL	TWA value 20 millions of particles per cubic foot of air :
	ACGIH TLV	TWA value 3 mg/m3 Respirable fraction ;

Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) TC23C Chemical/Mechanical type filter system to remove a combination of particles, gas and vapours. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form: Odour:	liquid slight odour	
Odour threshold:	-	Not determined due to potential health hazard by inhalation.
Colour:	pearl	
pH value:	approx. 7 - 8	(20 °C)
Melting temperature:	approx. 0 °C	Information applies to the solvent.
boiling temperature: Flash point: Flammability:	approx. 100 °C > 100 °C not applicable	Information applies to the solvent.
Lower explosion limit:		As a result of our experience with this product and our knowledge of its composition we do not expect any hazard
		as long as the product is used appropriately and in accordance with the intended use.

Revision date : 2014/09/10 Version: 2.0

Page: 6/10 (30587338/SDS_GEN_US/EN)

		(00001000,020_0211_00,211)
Upper explosion limit:		As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Autoignition:		Based on the water content the product does not ignite.
Vapour pressure:	approx. 23.4 hPa	(20 °C) Information applies to the solvent.
Density:	approx. 1.0 - 1.1 g/cm3	(20 °C)
Vapour density:	C	not applicable
Partitioning coefficient n- octanol/water (log Pow):		not applicable
Thermal decomposition:	No decomposition if prescribed/indicated	stored and handled as I.
Viscosity, kinematic: Solubility in water: Evaporation rate:		Forms a viscous solution. dispersible not applicable
Other Information:	If necessary, inform parameters is indica	ation on other physical and chemical

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties:

Based on its structural properties the product is not classified as oxidizing.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid

See MSDS section 7 - Handling and storage.

Incompatible materials

strong acids, strong bases, strong oxidizing agents

Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

11. Toxicological information

Primary routes of exposure

Revision date : 2014/09/10 Version: 2.0 Page: 7/10 (30587338/SDS_GEN_US/EN)

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. Of moderate toxicity after short-term inhalation. Of moderate toxicity after short-term skin contact. Of moderate toxicity after single ingestion.

<u>Oral</u> Type of value: ATE Value: 1,460 mg/kg

Information on: Methanol Type of value: LD50 Species: rat Value: (BASF-Test)

Inhalation

Type of value: ATE Value: > 20.0000 mg/l Determined for vapor

Type of value: ATE Value: > 5.0000 mg/l Determined for mist

Information on: Methanol Type of value: LC50 Species: rat (male/female) Value: (BASF-Test) Exposure time: 4 h

Dermal

Type of value: ATE Value: 4,380 mg/kg

Information on: Methanol Type of value: LD50 Species: rabbit

<u>Assessment other acute effects</u> Assessment of STOT single: A single exposure may have relevant toxic effects on organs.

The product has not been tested. The statement has been derived from the properties of the individual components.

Irritation / corrosion

Assessment of irritating effects: Not irritating to the skin. Not irritating to the eyes.

Sensitization

Assessment of sensitization: There is no evidence of a skin-sensitizing potential.

Revision date : 2014/09/10 Version: 2.0

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Methanol

Assessment of repeated dose toxicity: The substance may cause blindness after repeated ingestion. The substance may cause blindness after repeated inhalation.

Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Titanium dioxide

Assessment of carcinogenicity: IARC (International Agency for Research on Cancer) has classified this substance as group 2B (The agent is possibly carcinogenic to humans). In long-term studies in rats in which the substance was given by inhalation, a carcinogenic effect was observed. Tumors were only observed in rats after chronic inhalative exposure to high concentrations which caused sustained lung inflammation. In long-term studies in rats and mice in which the substance was given by feed, a carcinogenic effect was not observed. Dermal exposure is not expected to be carcinogenic.

Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Other Information Misuse can be harmful to health.

Symptoms of Exposure

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

12. Ecological Information

Toxicity

Aquatic toxicity Assessment of aquatic toxicity:

Revision date : 2014/09/10 Version: 2.0 Page: 9/10 (30587338/SDS_GEN_US/EN)

There is a high probability that the product is not acutely harmful to aquatic organisms.

Toxicity to fish No data available.

<u>Aquatic invertebrates</u> No data available.

Aquatic plants No data available.

Persistence and degradability

Assessment biodegradation and elimination (H2O)

The product has not been tested. The statement has been derived from the properties of the individual components. Colourants are by their nature very stable and are therefore not readily biodegradable under conditions prevailing in surface water or in effluent treatment plants.

Bioaccumulative potential

<u>Assessment bioaccumulation potential</u> The product has not been tested.

Bioaccumulation potential Significant accumulation in organisms is not to be expected.

Mobility in soil

<u>Assessment transport between environmental compartments</u> Adsorption to solid soil phase is expected. The product has not been tested. The statement has been derived from the properties of the individual components.

Additional information

Other ecotoxicological advice: Do not discharge product into the environment without control.

13. Disposal considerations

Waste disposal of substance:

Must be disposed of or incinerated in accordance with local regulations.

Container disposal:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Land transport USDOT

Not classified as a dangerous good under transport regulations

Revision date : 2014/09/10 Version: 2.0

Page: 10/10 (30587338/SDS_GEN_US/EN)

Not classified as a dangerous good under transport regulations

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

15. Regulatory Information

Federal Regulations

Registration status: Chemical TSCA, US released / listed

EPCRA 311/312 (Hazard categories):

EPCRA 313: CAS Number

Chemical name Methanol

CERCLA RQ 5000 LBS 100 LBS

67-56-1

CAS Number 67-63-0

Chemical name 67-56-1; 108-31-6 Methanol; maleic anhydride 2-Propanol

Acute; Chronic

State regulations

State RTK MA, NJ, PA MA, NJ, PA MA, NJ, PA PA

CAS Number 12001-26-2 13463-67-7 67-56-1 57-55-6

Chemical name Mica-group minerals Titanium dioxide Methanol Propylene glycol

CA Prop. 65:

WARNING: THIS PRODUCT CONTAINS A CHEMICAL(S) KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER AND BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM.

16. Other Information

SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2014/09/10

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.